L Number	Hits	Search Text	DB	Time stamp
1	24463075	(@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 10:42
2	0	((compar\$3 NEAR5 URL) NEAR5 (authorized NEAR5 URL)) AND (705/\$.ccls. OR 713/\$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 10:47
3	0	(@pd<19990723) OR (@prad<19990723)) ((compar\$3 NEAR5 URL) WITH (list NEAR5 URL)) AND (705/\$.ccls. OR 713/\$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 10:53
4	2	OR (@prad<19990723)) ((match\$3 NEAR5 URL) WITH (list NEAR5 URL)) AND (705/\$.ccls. OR 713/\$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02
5	14	OR (@prad<19990723)) (list NEAR5 URL) AND (705/\$.ccls. OR 713/\$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 11:46
6	3	(reconcil\$6 NEAR5 location) AND (705/\$.ccls. OR 713/\$.ccls.) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 11:56
7	43	(@prad<19990723)) (reconcil\$6 NEAR5 location) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/02 12:00
8	39	((reconcil\$6 NEAR5 location) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))) AND (computer OR network OR PC)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/02 12:00
	24694342	(@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/02 10:42
-	54	705/54.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26
_	48	705/80.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 11:32
-	117	713/153.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR (@frpd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 11:32
-	457	705/14.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@frepd<19990723) OR (@frepd<19990723))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:33

-	213	705/2.ccls. AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723) OR	USPAT; US-PGPUB; EPO; JPO;	2004/03/26 11:33
	5074	(@frpd<19990723)) proxy ADJ server	DERWENT; IBM_TDB USPAT;	2004/03/26
_	3074	ploxy ADO Server	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	11:35
_	1874402	location OR locale OR address OR locality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 11:48
_	65193	wireless SAME network	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 11:49
_	19243	wireless ADJ network	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 11:51
-	55108	wireless WITH network	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26
_	39196	wireless NEAR3 network	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26
-	710	privacy OR privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 12:02
-	3104429	locality) AND (wireless NEAR3 network) negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/26 11:59
-	488	((proxy ADJ server) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:59
_	59	(((proxy ADJ server) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)) AND ((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26
	1138	(@frpd<19990723)) (proxy ADJ server) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:02

Search History 4/2/04 12:37:42 PM Page 2

-	121	(((proxy ADJ server) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ	USPAT; US-PGPUB;	2004/03/30 11:10
		<pre>information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)) AND</pre>	EPO; JPO; DERWENT; IBM_TDB	
	51	((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@ptpd<19990723) OR (@ptpd<19990723)) OR (@prad<19990723)) OR (@prad<19990723)) OR (@prad<19990723)) OR (@prad<19990723))) NOT ((((proxy ADJ server) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)) AND ((@ptad<19990723) OR (@ptd<19990723) OR (@ptpd<19990723) OR (@prad<19990723) OR (@frpd<19990723)) OR (@frpd<19990723)) OR (@prad<19990723)) OR (@fromation) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)) AND ((@ptad<19990723) OR (@ptd<19990723) OR (@ptd<19990723) OR (@ptpd<19990723) OR (@ptpd<19990723) OR (@prad<19990723) OR (@prad<19990723) OR (@prad<19990723) OR (privatiz\$5 OR (sensitive ADJ information) OR confidential OR privy) AND (location OR locale OR address OR locality) AND (wireless NEAR3 network)) AND (negotiat\$3 OR agree\$1 OR agreement OR agreeing OR arrang\$3 OR \$2conciliat\$3 OR canonicaliz\$5)) AND ((@ptad<19990723) OR (@ptd<19990723) OR (@ptd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 11:11
-	101	(@frpd<19990723))) 705/54.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 18:36
_	146	705/80.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/30 18:36
_	364	713/153.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 18:36
-	2171	705/14.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 18:36
-	998	705/2.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 18:36
L			IBM_TDB	

_	116447	private OR privacy OR privatiz\$5 OR	USPAT;	2004/03/30
		(sensitive ADJ information) OR confidential OR privy	US-PGPUB; EPO; JPO;	18:39
		Confidencial OR privy	DERWENT;	
			IBM TDB	
_	1506	(705/54.ccls. OR 705/80.ccls. OR	USPAT;	2004/03/30
		713/153.ccls. OR 705/14.ccls. OR	US-PGPUB;	18:38
		705/2.ccls.) AND (private OR privacy OR privatiz\$5 OR (sensitive ADJ information)	EPO; JPO; DERWENT;	
		OR confidential OR privy)	IBM TDB	
_	161	((705/54.ccls. OR 705/80.ccls. OR	USPAT;	2004/03/31
		713/153.ccls. OR 705/14.ccls. OR	US-PGPUB;	13:49
		705/2.ccls.) AND (private OR privacy OR	EPO; JPO;	
		privatiz\$5 OR (sensitive ADJ information)	DERWENT;	
		OR confidential OR privy)) AND ((@ptad<19990723) OR (@pd<19990723) OR	IBM_TDB	
		(@ptpd<19990723) OR (@repd<19990723) OR		
-		(@prad<19990723))	,	
-	176	1 ' '	USPAT;	2004/03/31
		713/153.ccls. OR 705/14.ccls. OR	US-PGPUB;	13:54
		705/2.ccls.) AND (private OR privacy OR privatiz\$5 OR ((personal OR sensitive)	EPO; JPO; DERWENT;	
		ADJ information) OR confidential OR	IBM TDB	
		privy)) AND ((@ptad<19990723) OR	_	
		(@pd<19990723) OR (@ptpd<19990723) OR		
		(@repd<19990723) OR (@prad<19990723))	HCDAE.	2004/03/31
-	93	((705/54.ccls. OR 705/80.ccls. OR 713/153.ccls. OR 705/14.ccls. OR	USPAT; US-PGPUB;	14:03
		705/2.ccls.) AND (private OR privacy OR	EPO; JPO;	14.05
		privatiz\$5 OR ((personal OR sensitive)	DERWENT;	
		ADJ information) OR confidential OR	IBM_TDB	
		privy)) AND (server OR client) AND		
		((@ptad<19990723) OR (@pd<19990723) OR (@ptpd<19990723) OR (@repd<19990723) OR	,	
		(@prad<19990723))		
-	182	((proxy ADJ server) AND (private OR	USPAT;	2004/03/31
		privacy OR privatiz\$5 OR (sensitive ADJ	US-PGPUB;	14:18
		information) OR confidential OR privy) AND (location OR locale OR address OR	EPO; JPO; DERWENT;	
		locality) AND (negotiat\$3 OR agree\$1 OR	IBM TDB	
		agreement OR agreeing OR arrang\$3 OR	_	
		\$2conciliat\$3 OR canonicaliz\$5)) AND		
		((@ptad<19990723) OR (@pd<19990723) OR		
		(@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723))		
_	83		USPAT;	2004/03/31
		713/153.ccls. OR 705/14.ccls. OR	US-PGPUB;	14:39
		705/2.ccls.) AND (private OR privacy OR	EPO; JPO;	,
		privatiz\$5 OR ((personal OR sensitive) ADJ information) OR confidential OR	DERWENT; IBM TDB	
		privy)) AND ((@ptad<19990723) OR	1011_1015	
		(@pd<19990723) OR (@ptpd<19990723) OR		
		(@repd<19990723) OR (@prad<19990723)))		
		NOT (((705/54.ccls. OR 705/80.ccls. OR	}	
		713/153.ccls. OR 705/14.ccls. OR 705/2.ccls.) AND (private OR privacy OR		
	1	privatiz\$5 OR ((personal OR sensitive)		
		ADJ information) OR confidential OR		
		privy)) AND (server OR client) AND		
		((@ptad<19990723) OR (@pd<19990723) OR		
		(@ptpd<19990723) OR (@repd<19990723) OR (@prad<19990723)))		
_	5039	wireless ADJ network.AB.	USPAT;	2004/04/01
		,	US-PGPUB;	20:19
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

_	49	(wireless ADJ network.AB.) AND	USPAT;	2004/04/01
		705/\$.ccls.	US-PGPUB;	20:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1132	wireless ADJ network.AB. AND computer.AB.	USPAT;	2004/04/01
		_	US-PGPUB;	20:20
			EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	